







713 / 715 / 825 series – Angled Connectors with Wire Clamp Connection M12



- Upgrade of the existing straight shieldable cable connectors with Wire Clamp Connection by an angled version
- IP 67 protection degree
- Reduction of the assembly time
- Shock- and vibration resistant mating contacts
- Persistent pressure of the single wire on the contact
- Mounting aid included in every set
- Diecasted zinc housing



713 / 715 / 825 series – Angled Connectors with Wire Clamp Connection M12

Description / Picture	Drawing	contacts	cable outlet (mm)	coding/ series	Ordering-No.
Male angled connector 		4	4 – 6 6 – 8	A 713	99-1525-824-04 99-1525-822-04
		5	4 – 6 6 – 8	A 713	99-1637-824-05 99-1537-822-05
		5	6 – 8 6,5 – 8,5	B 715	99-1535-820-05 99-1535-920-05
		4	6 – 8	D 825	99-3725-820-04
Female angled connector 		4	4 – 6 6 – 8	A 713	99-1526-824-04 99-1526-822-04
		5	4 – 6 6 – 8	A 713	99-1538-824-05 99-1538-822-05
		5	6 – 8 6,5 – 8,5	B 715	99-1536-820-05 99-1536-920-05
		4	6 – 8	D 825	99-3726-820-04



713 / 715 / 825 series – Angled Connectors with Wire Clamp Connection M12

Component part drawing:

